



LUXURY WOOD FINISH



Ultra Italia PARQUET

Luxury Water Based Wooden Floor Coating



SUPERIOR SURFACE STRENGTH





Application Process

PRE PAINTING STEPS: Sand the wooden surface along the grains using sand paper no. 180, and then 320 or 400. Wipe surface to clean off loose dust particles.

Product Application	Application Method	Mixing Ratio of Base (By Vol.)	Thinner	Thinner Dilution % (By Vol)	Recoating Period
Parquet First Coat	Use spray gun or paint roller	95.05	Water	0-25%	Overnight
Sand the surface with sand paper 240 or 400 and wipe clean					
Parquet Second Coat	Use spray gun or paint roller	95.05	Water	0-25%	8 Hours
Sand the surface with sand paper 240 or 400 and wipe clean					
Parquet Third Coat	Use spray gun or paint roller	95.05	Water	0-25%	8 Hours
Apply fourth coat, if required, sand with sand paper no. 240 or 400 and wipe clean.					



Ultra Italia PARQUET

Luxury Water Based Wooden Floor Coating

Parquet Floor Coat features a special abrasion resistant and tough surface. The product renders a Rich Natural Matt finish to the wooden floor. It has high distinctiveness of image, leading to an accentuated grain pattern and offers best in class durability.

The product is a water-based 2 component transparent self-sealer with excellent elasticity, hardness and resistance to abrasion. The addition of the hardener up to 5% improves its chemical resistance to staining. It is suitable on all kinds of wood.



LOW VOC
ODOUR



PREMIUM
AESTHETICS



HARDNESS



QUICK
DRYING



EASY
APPLICATION



LUXURY WOOD FINISH

Polyurethane PU Finish

Known for its aesthetic appeal and inspiring elegance, it is available in both matt and gloss finish in clears, whites and 2200+ shades using tinting machine. It has best in class scratch, heat, stain and chemical resistance.

Acrylic Finish

This finish provides best in class transparency, elasticity and resistance to yellowing. Available in matt and gloss finish and is suitable for both interior and exterior surfaces.

Polyester Finish

It offers a mirror like gloss finish. It is particularly suitable for application where high film thickness is required. The finish is rebufferable for restoring the gloss after a few years.

Water Base

Specially formulated to provide reduced emissions and most suited for renovation projects and exterior applications due to their higher durability. It has higher coverage and shorter application time. Overall the finish is both user and environment friendly.



Jubilant Agri and Consumer Products Limited
Plot No. 142, Chimes, 3rd Floor, Sector 44,
Gurugram, Haryana - 122003 India
Tel: +91-120-6290100 Website www.ultraitalia.com